



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Kolkata Branch Office

Address : 1/14 CIT Scheme VII, VIP Road,
Kankurgachi
Kolkata
700054

Phones : 033-23208662, 23378626

Fax : 033-23207459

E-mail : kkbo@bis.gov.in

Web : <http://www.bis.org.in>

Attachment to Licence No. CM/L- 5433864

CM/L-	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
5433864	BENGAL IRON CORPORATION ASHUTOSH GHOSH ROAD, PO: JAGACHA, DISTT. HOWRAH, WEST BENGAL, PIN : 711112	Centrifugally cast (spun) iron spigot and socket soil,waste, ventilation and rainwater pipes, fittings, and accessories	IS 3989 : 2009

Endorsement No. 11

Dated :28/05/2020

Whereas, the licence was valid upto Eighteenth May Two Thousand and Twenty.

Now, consequent upon renewal, the validity of the licence given in endorsement No. 10 has been extended from Eighteenth May Two Thousand and Twenty to Eighteenth May Two Thousand and Twenty Five.

Other conditions of licence remain the same.

(A. Chatterjee)
Scientist E & Head